

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT application of)	
Yasunori YOSHIDA et al.)	Art Unit: 9491
Serial No. 10/579,987)	Examiner: HAISSA PHILOGENE
Patent No. 7,733,315, B2)	
Issued: June 8, 2010)	
Filed: May 19, 2006)	
For: DISPLAY DEVICE)	

REQUEST FOR CERTIFICATE OF CORRECTION – PTO AND APPLICANT MISTAKE**Certificate of Corrections Branch**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In reviewing the above-identified patent, a number of typographical USPTO printing errors and Applicant errors were discovered therein requiring correction in order to conform to the Official Record in the application. The Applicant errors occurred at column 1, lines 42, 48, 50 and 57 and at column 49, lines 21 and 22. None of the corrections should be considered substantive in nature, but instead merely correct obvious errors therein.

The errors noted are set forth on the attached copy of Form PTO-1050 (Rev. 3-82) in the manner required by the Commissioner's Notice.

The Commissioner is hereby authorized to charge the \$100 fee associated with this filing, and any other fees, which may be required now, or credit any overpayment to Deposit Account No. 19-2380.

Respectfully submitted,

/Jeffrey L. Costellia, Reg. No. 35,483/

Jeffrey L. Costellia

Registration No. 35,483

NIXON PEABODY LLP
 401 9th Street, N.W, Suite 900
 Washington, DC 20004-2128
 (202) 585-8000
 Fax: (202) 585-8080